



BUILDING TRUST



CONSTRUCTION PRODUCTS REGULATION

DECLARATION OF PERFORMANCE

No: SKPLAS48N/1-CPR/ 2014

Substrate: Anodised aluminium and Mortar M1

Primer: No primer

1. Identification Code	SIKA Plastix 48N Codes: SKPLAS48NTK/TR/WE
2. Type, Batch and/or Serial Number	- For batch number - see packaging
3. Intended use	Sealant for non-structural use in joints in buildings and pedestrian walkways Part 1: Sealants for Façade elements
4. Manufacturer	Everbuild Building Products Ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS9 0SW
5. Authorised Representative	Not Applicable
6. Assessment and Verification of Constancy of Performance	System 3
7. Notified Body and Tasks	GINGER CEBTP Notified Body No. 0074
8. European Technical Assessment	Not Applicable
9. Declared Performance	TO EN15651-1 (2012)

Everbuild – A Sika Company

Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds LS9 0SW

Tel: +44 (0) 113 240 3456, Sales: +44 (0) 113 240 2424, Technical Helpline: +44 (0) 113 200 9417

Email: everbuild.info@uk.sika.com, Website: www.everbuild.co.uk



Type	F EXT-INT CC
Classification	F12.5E
Reaction to Fire	Class E
Loss of Volume ISO10563	≤25%
Resistance to flow ISO7390	≤3 mm
Adhesion / cohesion properties (-30°C) ISO 8339 modified	≤ 0.9 MPa
Adhesion / cohesion properties at maintained extension (-30°C) ISO 8340 modified	NF
Adhesion/cohesion properties at maintained extension after water immersion (23°C) ISO 10590	NF
Durability ISO 8340, ISO 9047 and ISO 10590	Pass

Substrate: Anodised aluminium

Primer: No primer

1. Identification Code	SIKA Plastix 48N Codes: SKPLAS48NTK/TR/WE
2. Type, Batch and/or Serial Number	- For batch number - see packaging
3. Intended use	Sealant for non-structural use in joints in buildings and pedestrian walkways Part 3: Sealants for Sanitary elements
4. Manufacturer	Everbuild Building Products Ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS9 0SW
5. Authorised Representative	Not Applicable
6. Assessment and Verification of	System 3

Everbuild – A Sika Company

Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds LS9 0SW

Tel: +44 (0) 113 240 3456, Sales: +44 (0) 113 240 2424, Technical Helpline: +44 (0) 113 200 9417

Email: everbuild.info@uk.sika.com, Website: www.everbuild.co.uk



Constancy of Performance	
7. Notified Body and Tasks	Ginger CEBTP Notified Body No. 00074
8. European Technical Assessment	Not Applicable
9. Declared Performance	TO EN15651-3 (2012)
Type	S
Classification	XS3
Reaction to Fire	Class E
Loss of Volume ISO10563	≤20%
Resistance to flow ISO7390	≤3 mm
Adhesion/cohesion properties at maintained extension after water immersion (23°C) ISO 10590	NF
Action of the microorganisms : Intensity of growth ISO 846, method B	4
Durability ISO 846, method B, ISO 8340, ISO 9047 and ISO 10590	Pass

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9 . The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed: P.R. Thomas – R&D Manager

Andrew Scanlon - Chemist

Dated: Leeds, 24/11/15

Everbuild – A Sika Company

Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds LS9 0SW
 Tel: +44 (0) 113 240 3456, Sales: +44 (0) 113 240 2424, Technical Helpline: +44 (0) 113 200 9417
 Email: everbuild.info@uk.sika.com, Website: www.everbuild.co.uk